

Common Materials Compatibility Chart

Key	PLASTICS															ELASTOMERS													
	Acetal	ABS	Phenolic	polyamide-Imide	Polyamide (nylon)	Polycarbonate	Polyester	Polyetherimide	Polyethylene	Polyamide	Polyphenylene Oxide	Polystyrene	Polysulfone	PTFE	Polyvinyl Chloride	Terephthalate	Buna S	Butyl	EPDM, EPR	Fluoroelastomer	Natural Rubber	Neoprene	Nitrile	Silicone	Acrylic	SBR	Thiokol	Butadiene	
R Recommended																													
A Acceptable																													
N Not Recommended																													
Synthetic PAO's	R	R	R	R	R	R	R	R	A	R	R	A	R	R	N	R	N	N	N	R	N	R	R	N	N	N	N	A	N
Silicone	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	A	R	R	N	N	N	N	N	N
Esters	R	N	R	R	R	N	N	R	A	R	N	N	N	R	N	R	N	N	A	R	N	N	A	A	N	N	A	N	
Mineral Oils	R	R	R	R	R	R	R	R	A	R	R	A	A	R	R	R	N	N	N	R	N	N	R	N	R	N	A	N	

Final determination of the suitability of any material is the sole responsibility of the user.

