

Safety Data Sheet

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Issue date: 2/23/2022 Revision date: 2/24/2025 Supersedes: 2/13/2025 Version: 10.0

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Identification

Trade name RADCOLUBE® Biobased CLP

Specification: MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and

Weapons Systems

Qualification Number (Date): AR-22-02 (22 February 2022)

Military Symbol: CLP NATO Code: S-758

National Stock Number(s) (NSN): 9150-01-663-4635 (0.50 fl oz. Bottle)

9150-01-663-3879 (4 fl oz. Bottle)

9150-01-663-4643 (1 Pint Bottle with Trigger) 9150-01-663-4623 (1 Liter Bottle with Trigger) 9150-01-663-4610 (1 Gallon Plastic Bottle)

1.2. Recommended use and restrictions on use

Use of the substance/mixture: This product is for use in cleaning, lubricating and short-term preservation of small and

large caliber military weapons, operating in the temperature range of -51°C to + 71°C (-

60°F to +160°F).

USDA certified 73% Biobased product.

1.3. Supplier

Radco Industries Inc. CAGE Code 6ZS16 700 Kingsland Drive Batavia, Illinois 60510 United States T (630) 232-7966

www.radcoind.com

1.4. Emergency telephone number

Emergency number: For Chemical Emergency Call CHEMTREC 24hr/day 7days/week

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970

(collect calls accepted)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

GHS US classification

Skin sensitization, Category 1

H317

May cause an allergic skin reaction.

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US):



Signal word (GHS US):

Warning

Hazard statements (GHS US):

H317 - May cause an allergic skin reaction

Precautionary statements (GHS US):

P261 - Avoid breathing fume, mist, spray, vapors.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing.

P302+P352 - If on skin: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of an approved waste disposal plant, contents and container to an

approved waste disposal plant.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Trade Secret 1*	CAS-No.: Trade Secret	50 – 75	Aquatic Chronic 2, H411
Calcium alkyl naphthalene sulfonate*	CAS-No.: Trade Secret	1-10	Skin Irrit. 2, H315
			Eye Irrit. 2, H319
			Aquatic Chronic 1, H410
Calcium dinonyl sulfonate*	CAS-No.: Trade Secret	1-10	Skin Irrit. 2, H315
			Eye Irrit. 2, H319
Trade Secret 2*	CAS-No.: Trade Secret	< 5	Skin Sens. 1B, H317
Trade Secret 3*	CAS-No.: Trade Secret	< 5	Skin Sens. 1B, H317
			Aquatic Acute 3, H402
			Aquatic Chronic 3, H412
Trade Secret 4*	CAS-No.: Trade Secret	1-5	Aquatic Chronic 3, H412

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements: see section 16

2/24/2025 (Revision date) Page 2 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact: Rinse eyes with water as a precaution.

First-aid measures after ingestion: Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact: May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case Toxic fumes may be released.

of fire:

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting: Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Take up liquid spill into absorbent material.

Other information: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

2/24/2025 (Revision date) Page 3 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid

 $breathing\ dust/fume/gas/mist/vapors/spray.\ Wear\ personal\ protective\ equipment.$

Hygiene measures: Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

RADCOLUBE® Biobased CLP

No additional information available

Trade Secret 1

No additional information available

Calcium alkyl naphthalene sulfonate

No additional information available

Trade Secret 2

No additional information available

Trade Secret 3

No additional information available

Calcium dinonyl sulfonate

No additional information available

Trade Secret 4

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Environmental exposure controls: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Han	αı	or	Ωŧ	ec:	tic	n:

Protective gloves

2/24/2025 (Revision date) Page 4 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Appearance:	Liquid.
Color:	light brown
Odor:	Characteristic odour
Odor threshold:	No data available
рН:	No data available
Melting point:	Not applicable
Freezing point:	≤ -69 (Pour point)
Boiling point:	No data available
Flash point:	202 °C
Relative evaporation rate (butyl acetate=1):	No data available
Flammability:	Not applicable.
Vapor pressure:	No data available
Relative vapor density at 20°C:	No data available
Relative density:	No data available
Solubility:	No data available
Partition coefficient n-octanol/water (Log Pow):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available

2/24/2025 (Revision date) Page 5 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Viscosity, kinematic:	15.2 mm²/s at 40°C (104°F)
Viscosity, dynamic:	No data available
Explosion limits:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral):	Not classified
Acute toxicity (dermal):	Not classified
Acute toxicity (inhalation):	Not classified
Skin corrosion/irritation:	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity:	Not classified
Aspiration hazard:	Not classified
Viscosity, kinematic:	15.2 mm²/s at 40°C (104°F)
Symptoms/effects after skin contact:	May cause an allergic skin reaction.
STOT-single exposure:	Not classified
STOT-repeated exposure:	Not classified (Based on available data, the classification criteria are not met) (Based on
3101-repeated exposure.	available data, the classification criteria are not met)
Reproductive toxicity:	Not classified (Based on available data, the classification criteria are not met)

2/24/2025 (Revision date) Page 6 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Trade Secret 1	
LD50 dermal rat:	> 2000 mg/kg body weight (OECD 402 method)
LC50 Inhalation - Rat:	> 4.06 mg/l (OECD 403 method)
Calcium alkyl naphthalene sulfonat	re
LD50 oral rat:	> 2500 mg/kg
LD50 dermal rabbit:	10000 mg/kg
LC50 Inhalation - Rat:	9000 mg/l (1 Hour)
ATE US (dermal):	10000 mg/kg body weight
ATE US (vapors):	9000 mg/l/4h
ATE US (dust, mist):	9000 mg/l/4h
Trade Secret 3	
LD50 oral rat:	11.3 g/kg
ATE US (oral):	11300 mg/kg body weight
Calcium dinonyl sulfonate	
LD50 oral rat:	> 2500 mg/kg
LD50 dermal rat:	> 10000 mg/kg
LC50 Inhalation - Rat:	> 9 mg/l
Trade Secret 4	
LD50 oral rat:	> 2000 mg/kg body weight (OECD 423 method)
LD50 dermal rat:	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
Trade Secret 1	
Serious eye damage/irritation:	Not classified
Calcium alkyl naphthalene sulfonat	e
Corrosivity	Negative
Skin corrosion/irritation	Irritating to skin
Serious eye damage/irritation:	Not classified
Trade Secret 2	
Serious eye damage/irritation:	Not classified

2/24/2025 (Revision date) Page 7 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Trade Secret 3	
Serious eye damage/irritation:	Not classified
Calcium dinonyl sulfonate	
Serious eye damage/irritation:	Not classified
Trade Secret 4	
Skin corrosion/irritation, In vitro, Human Skin Model (HSM) test	Not irritating to skin
Serious eye damage/irritation:	Not classified
Trade Secret 1	
Respiratory or skin sensitization:	May cause an allergic skin reaction.
Calcium alkyl naphthalene sulfonate	
Serious eye damage/irritation	Irritating
Respiratory or skin sensitization:	May cause an allergic skin reaction.
Trade Secret 2	
Respiratory or skin sensitization:	May cause an allergic skin reaction.
Trade Secret 3	
Respiratory or skin sensitization:	May cause an allergic skin reaction.
Calcium dinonyl sulfonate	
Respiratory or skin sensitization:	May cause an allergic skin reaction.
Trade Secret 4	
Eye irritation, In vivo, rabbit	Not irritating to eyes ((OECD 405 method))
Respiratory or skin sensitization:	May cause an allergic skin reaction.
Trade Secret 1	
Germ cell mutagenicity:	Not classified (Based on available data, the classification criteria are not met)
Calcium alkyl naphthalene sulfonate	
Germ cell mutagenicity:	Not classified (Based on available data, the classification criteria are not met)
Trade Secret 2	
Respiratory or skin sensitization, epicutaneous, occlusive, Guinea pig	Skin sensitization, category 1B (24 - 48 Hours, (OECD 406 method), Literature data)
Germ cell mutagenicity:	Not classified (Based on available data, the classification criteria are not met)

2/24/2025 (Revision date) Page 8 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Trade Secret 3	
Germ cell mutagenicity:	Not classified (Based on available data, the classification criteria are not met)
Calcium dinonyl sulfonate	
Skin sensitization	Not expected to be a skin sensitizer ((OECD 429 method))
Germ cell mutagenicity:	Not classified (Based on available data, the classification criteria are not met)
Trade Secret 4	
Skin sensitization, In vivo, Guinea pig	Skin sensitization, category 1B ((OECD 406 method))
Germ cell mutagenicity:	Not classified (Based on available data, the classification criteria are not met)
Trade Secret 4	
Germ cell mutagenicity, In vitro, Chinese hamster lung fibroblasts	Mutagenicity tests are negative
Trade Secret 1	
IARC group:	Not classified
Calcium dinonyl sulfonate	
IARC group:	Not classified
National Toxicity Program (NTP) Status:	Not classified
Trade Secret 3	
NOAEL (animal/male, FO/P):	1000 mg/kg
NOAEL (animal/male, F1):	1000 mg/kg
Calcium dinonyl sulfonate	
NOAEL (animal/male, F0/P):	893 mg/kg
Trade Secret 4	
NOAEL (animal/male, F0/P):	100 mg/kg body weight (OECD 422 method)
NOAEL (animal/female, F0/P):	100 mg/kg (OECD 422 method)
NOAEL (animal/male, F1):	100 – 1000 mg/kg body weight (OECD 422 method)
Calcium dinonyl sulfonate	
NOAEL (oral,rat):	95 mg/kg body weight (OECD 422 method)
Trade Secret 1	
NOAEL (oral,rat,90 days):	≥ 1000 mg/kg body weight (OECD 408 method)
NOAEL (dermal,rat/rabbit,90 days):	≥ 2000 mg/kg body weight (OECD 411 method)

2/24/2025 (Revision date) Page 9 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Trade Secret 4	
NOAEL (oral,rat,90 days):	300 mg/kg bodyweight/day (OECD 408 method)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

	daverse effects in the environment.	
Trade Secret 1		
LC50 - Fish [1]:	> 4.8 mg/l Species: Cyprinus carpio (Common carp)	
EC50 - Crustacea [1]:	> 1.3 mg/l Species: Daphnia magna (Water flea)	
Calcium alkyl naphthalene sulfonate		
EC50 - Crustacea [1]:	≥ 0.18 mg/l Test organisms (species): Daphnia magna	
EC50 - Crustacea [2]:	> 0.27 mg/l Species: Daphnia magna (Water flea)	
Trade Secret 3		
LC50 - Fish [1]:	5.5 mg/l 96 Hours	
EC50 - Crustacea [2]:	0.315 mg/l 48 Hours	
ErC50 algae:	0.58 mg/l 72 Hours	
NOEC (chronic):	> 1000 mg/l 3 Hours	
Calcium dinonyl sulfonate		
EC50 - Crustacea [1]:	2.2 – 10 mg/l 21 days (Daphnia)	
NOEC chronic crustacea:	10 mg/l (OECD 211 method)	
Trade Secret 4		
LC50 - Fish [1]:	> 10 mg/l Species: Leuciscus idus (golden orfe)	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Trade Secret 3	Trade Secret 3	
Partition coefficient n-octanol/water (Log Kow):	> 2.47	
Calcium dinonyl sulfonate		
BCF - Fish [1]:	3.16 mg/l Quantitative structure-activity relationship (QSAR)	

2/24/2025 (Revision date) Page 10 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Calcium dinonyl sulfonate	
Partition coefficient n-octanol/water (Log Pow):	> 6.6

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods: Dispose of contents/container in accordance with licensed collector's sorting

instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA / ICAO / ADN / RID / ADG

DOT	TDG	IMDG	IATA		
14.1. UN number					
Not regulated for transport					
14.2. Proper Shipping Name					
Not applicable	Not applicable	Not applicable	Not applicable		
Transport document description					
Not applicable	Not applicable	Not applicable	Not applicable		
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable		
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable		
No supplementary information available					

14.6. Special precautions for user

DOT

No data available

TDG

No data available

2/24/2025 (Revision date) Page 11 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Calcium alkyl naphthalene sulfonate

CAS-No.

1 - 10%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Trade Secret 1

Listed on the Canadian DSL (Domestic Substances List)

Calcium dinonyl sulfonate

Listed on the Canadian DSL (Domestic Substances List)

Trade Secret 4

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Trade Secret 4

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

2/24/2025 (Revision date) Page 12 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 16: Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date: 02/24/2025

Full text of hazard classes and H-statements		
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	


NFPA health

1 - Materials that, under emergency conditions, can cause significant irritation.

hazard

NFPA fire hazard 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids

having a flash point above 200 F. (Class IIIB)

Physical 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water,

polymerize, decompose, condense, or self-react. Non-Explosives.

Indication of changes:

indication of changes:				
Section	Changed item	Change	Comments	
1	Specification	Modified	MIL-PRF-63460F revision has changed to MIL-PRF-63460G. Also removed "Type B" designation as it is no longer supported in revision G of MIL-SPEC.	

2/24/2025 (Revision date) Page 13 of 14

MIL-PRF-63460G Biobased Cleaner, Lubricant, and Preservative for Weapons and Weapons Systems

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular process or for any particular purpose. Such information stated is to the best of Radco's knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability, or completeness, purchasers, users and distributors are not relying on any promise, representation, or recommendation made by Radco, and Radco does not accept liability for any loss or damage that may occur from the use of this information. Final determination of suitability of any material is the sole responsibility of the user. All material should be used with caution to guard against unknown hazards. Although certain hazards are described herein, Radco does not guarantee that these are the only hazards that exist.

2/24/2025 (Revision date) Page 14 of 14