

Safety Data Sheet

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

 Issue date: 9/12/2019
 Revision date: 10/1/2024
 Supersedes: 2/14/2024
 Version: 6.0

 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
 Version: 6.0

SECTION 1: Identification

1.1. Identification		
Trade name	RADCOLUBE [®] LTGO	
Specification:	MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature	
Qualification Number (Date):	AR 22-01 (1 February 2022)	
Military Symbol: NATO Code:	LAW 0-157	
National Stock Number(s) (NSN):	9150-00-292-9689 (Quart) 9150-00-292-9687 (5 Gallon Pail)	
1.2. Decommonded use and restrictions on use		

1.2. Recommended use and restrictions on use

Use of the substance/mixture: The lubricating oil covered by this specification is intended primarily for the lubrication of aircraft and ground weapons to ensure efficient firing at low temperatures. The oil covered by this specification is considered military unique because it must perform at temperatures between 0°F to -70°F (-17.8°C to -56.6°C).

1.3. Supplier

Manufacturer

Radco Industries Inc. CAGE Code 6ZS16 700 Kingsland Drive Batavia, Illinois 60510 United States T (630) 232-7966 www.radcoind.com

1.4. Emergency telephone number

Emergency number:

For Chemical Emergency Call CHEMTREC 24hr/day 7days/week Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Acute toxicity (inhalation:dust,mist) Category 4	H332	Harmful if inhaled
Reproductive toxicity Category 2	H361	Suspected of damaging fertility.
Aspiration hazard Category 1	H304	May be fatal if swallowed and enters airways

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US):



Signal word (GHS US): Hazard statements (GHS US):

Precautionary statements (GHS US):

- Danger
 H304 May be fatal if swallowed and enters airways
 H332 Harmful if inhaled
 H361 Suspected of damaging fertility
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P261 Avoid breathing vapors, mist.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear eye protection, protective clothing, protective gloves.
 P301+P310 If swallowed: Immediately call a POISON CENTER, a doctor.
 P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 P312 Call a POISON CENTER, a doctor if you feel unwell.
 P331 Do NOT induce vomiting.
 P405 Store locked up.
 - P501 Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards which do not result in classification

Other hazards which do not result in None under normal conditions.

classification:

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Polyalphaolefin*	CAS-No.: Trade Secret	50 – 75	Acute Tox. 4 (Inhalation:dust,mist), H332
			Asp. Tox. 1, H304
Calcium alkyl naphthalene sulfonate*	CAS-No.: Trade Secret	< 2	Skin Irrit. 2, H315
			Eye Irrit. 2, H319
Trade Secret #1*	CAS-No.: Trade Secret	< 1	Repr. 2, H361
			STOT RE 2, H373
Hydrocarbon solvent*	CAS-No.: Trade Secret	0.01 - 0.1	Flam. Liq. 3, H226
			Asp. Tox. 1, H304

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

RADCOLUBE[®] LTGO

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general:	Call a physician immediately.
First-aid measures after inhalation:	Remove person to fresh air and keep comfortable for breathing. Call a poison
	center/doctor/physician if you feel unwell.
First-aid measures after skin contact:	Wash skin with plenty of water.
First-aid measures after eye contact:	Rinse eyes with water as a precaution.
First-aid measures after ingestion:	Do not induce vomiting. Call a physician immediately.
First-aid measures after eye contact:	center/doctor/physician if you feel unwell. Wash skin with plenty of water. Rinse eyes with water as a precaution.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation:	Although no appropriate human or animal health effects data are known to exist, this
	material is expected to be an inhalation hazard.
Symptoms/effects after skin contact:	None under normal conditions.
Symptoms/effects after eye contact:	None under normal conditions.
Symptoms/effects after ingestion:	Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media:	Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard:	No fire hazard.
Explosion hazard:	No direct explosion hazard.
Hazardous decomposition products in case	Toxic fumes may be released.
of fire:	

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions:	Fight fire from safe distance and protected location. Do not enter fire area without proper
	protective equipment, including respiratory protection.
Protection during firefighting:	Do not attempt to take action without suitable protective equipment. Self-contained
	breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures:Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.Absorb spillage to prevent material-damage.

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel		
Protective equipment:	Wear recommended personal protective equipment.	
Emergency procedures:	Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapors/spray.	
6.1.2. For emergency responders		
Protective equipment:	Do not attempt to take action without suitable protective equipment. For further	
	information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures:	Evacuate unnecessary personnel. Stop leak if safe to do so.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		

For containment:	Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to
	prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up:	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or
	public waters.
Other information:	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

esent a significant hazard under anticipated conditions of normal use.
ructions before use. Do not handle until all safety precautions have
lerstood. Wear personal protective equipment. Use only outdoors or in
rea. Avoid breathing dust/fume/gas/mist/vapors/spray.
r smoke when using this product. Always wash hands after handling the
1 1

7.2. Conditions for safe storage, including any incompatibilities

Technical measures:	Keep in a cool, well-ventilated place away from heat.
Storage conditions:	Store locked up.
Packaging materials:	Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

RADCOLUBE® LTGO

No additional information available

Polyalphaolefin

No additional information available

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Calcium alkyl naphthalene sulfonate		
No additional information availab	le	
Hydrocarbon solvent		
USA - ACGIH - Occupational Expo	sure Limits	
ACGIH OEL TWA	5 mg/m ³ (I - Inhalable particulate matter)	
Remark (ACGIH)	TLV [®] Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2024	
Trade Secret #1		
No additional information availab	le	

8.2. Appropriate engineering controls

Appropriate engineering controls:	Ensure good ventilation of the work station.
Environmental exposure controls:	Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:	
Protective gloves	
	-
Eye protection:	
Safety glasses	
	_
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:]
[In case of inadequate ventilation] wear respiratory protection.	1

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Appearance:	Liquid.

RADCOLUBE[®] LTGO

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Color:	Light yellow
Odor:	Characteristic odour
Odor threshold:	No data available
pH:	No data available
Melting point:	Not applicable
Freezing point:	≤ -69 °C (ASTM D97 Pour point)
Boiling point:	> 300 °C
Flash point:	164.4 °C
Relative evaporation rate (butyl acetate=1):	No data available
Flammability:	Not applicable.
Vapor pressure:	< 0.4 mm Hg at 25°C (77°F)
Relative vapor density at 20°C:	No data available
Relative density:	0.824 at 15.6°C (60°F) (water = 1)
Density:	6.9 lb/gal at 15.6°C (60°F)
Solubility:	Insoluble in water.
Partition coefficient n-octanol/water (Log Pow):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	6.1 mm ² /s at 40°C
Viscosity, dynamic:	No data available
Explosion limits:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available

9.2. Other information

VOC content:

0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral):	Not classified	
Acute toxicity (dermal):	Not classified	
Acute toxicity (inhalation):	Inhalation:dust,mist: Harmful if inhaled.	
Skin corrosion/irritation:	Not classified	
Carcinogenicity:	Not classified	
Aspiration hazard:	May be fatal if swallowed and enters airways.	
Viscosity, kinematic:	6.1 mm ² /s at 40°C	
Symptoms/effects after inhalation:	Although no appropriate human or animal health effects data are known to exist, this	
Symptoms/encets after initiation.	material is expected to be an inhalation hazard.	
Symptoms/effects after skin contact:	None under normal conditions.	
Symptoms/effects after eye contact:	None under normal conditions.	
Symptoms/effects after ingestion:	Risk of lung edema.	
STOT-single exposure:	Not classified	
STOT-repeated exposure:	Not classified	
Reproductive toxicity:	Suspected of damaging fertility.	
RADCOLUBE® LTGO		
ATE US (dust, mist):	1.671 mg/l/4h	
Polyalphaolefin		
LD50 oral rat:	> 5000 mg/kg	
LD50 dermal rabbit:	> 3000 mg/kg	
LC50 Inhalation - Rat:	1.17 mg/l	
ATE US (vapors):	1.17 mg/l/4h	
ATE US (dust, mist):	1.17 mg/l/4h	
Calcium alkyl naphthalene sulfonate		

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 dermal rabbit:	10000 mg/kg
LC50 Inhalation - Rat:	9000 mg/l (1 Hour)
ATE US (dermal):	10000 mg/kg body weight
ATE US (vapors):	9000 mg/l/4h
ATE US (dust, mist):	9000 mg/l/4h
Hydrocarbon solvent	
LD50 oral rat:	> 5000 mg/kg body weight (OECD 420 method)
LD50 dermal rabbit:	> 2000 mg/kg body weight (OECD 402 method)
LC50 Inhalation - Rat:	> 5.28 mg/l/4h (OECD 403 method)
Trade Secret #1	
LD50 oral rat:	> 5000 mg/kg body weight (OECD 401 method)
LD50 dermal rat:	> 2000 mg/kg body weight (OECD 402 method)
Polyalphaolefin	
Serious eye damage/irritation:	Not classified
Calcium alkyl naphthalene sulfonate	
Corrosivity	Negative
Skin corrosion/irritation	Irritating to skin
Serious eye damage/irritation:	Not classified
Hydrocarbon solvent	
Serious eye damage/irritation:	Not classified
Trade Secret #1	
Serious eye damage/irritation:	Not classified
Polyalphaolefin	
Respiratory or skin sensitization:	Not classified
Calcium alkyl naphthalene sulfonate	
Serious eye damage/irritation	Irritating
Respiratory or skin sensitization:	Not classified
Hydrocarbon solvent	
Respiratory or skin sensitization:	Not classified

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Trade Secret #1	
Respiratory or skin sensitization:	Not classified
Polyalphaolefin	
Germ cell mutagenicity:	Not classified
Calcium alkyl naphthalene sulfonate	
Germ cell mutagenicity:	Not classified
Hydrocarbon solvent	
Germ cell mutagenicity:	Not classified
Trade Secret #1	
Germ cell mutagenicity:	Not classified
Hydrocarbon solvent	
NOAEL (animal/male, F0/P):	≥ 3000 mg/kg body weight
Trade Secret #1	
NOAEL (animal/male, F0/P):	18 – 54 mg/kg body weight (OECD 443 method)
NOAEL (animal/female, F0/P):	18 – 54 mg/kg body weight (OECD 443 method)
NOAEL (animal/male, F1):	18 – 167 mg/kg body weight (OECD 443 method)
NOAEL (animal/female, F1):	18 – 167 mg/kg body weight (OECD 443 method)
Additional data:	Reproduction NOAEL, oral, rat: 225 mg/kg bw/day (28 days, (OECD 422 method)),Parental NOAEL, oral, rat: 25 mg/kg bw/day (28 days, (OECD 422 method))
Hydrocarbon solvent	
NOAEL (oral,rat,90 days):	750 mg/kg body weight female)
NOAEC (inhalation,rat,vapor,90 days):	≥ 0.024 mg/l Air (OECD 412 method)
Trade Secret #1	
NOAEL (oral,rat,90 days):	25 mg/kg body weight (OECD 422 method)
STOT-repeated exposure:	May cause damage to organs (liver) through prolonged or repeated exposure (oral).

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general:

The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Calcium alkyl naphthalene sulfonate	
EC50 - Crustacea [1]:	≥ 0.18 mg/l Test organisms (species): Daphnia magna

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Calcium alkyl naphthalene sulfonate	
EC50 - Crustacea [2]:	> 0.27 mg/l Test organisms (species): Daphnia magna
Trade Secret #1	
LC50 - Fish [1]:	100 mg/l Brachydanio rerio (zebra-fish)
EC50 - Crustacea [1]:	51 mg/l Daphnia magna (Water flea)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation:	Disposal must be done according to official regulations.
Waste treatment methods:	Dispose of contents/container in accordance with licensed collector's sorting
	instructions.
Sewage disposal recommendations:	Disposal must be done according to official regulations.
Product/Packaging disposal	Disposal must be done according to official regulations.
recommendations:	
Additional information:	Do not re-use empty containers.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA / ICAO / ADN / RID / ADG

DOT	TDG	IMDG	ΙΑΤΑ
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not applicable	Not applicable	Not applicable	Not applicable
Transport document description			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(e	es)	·	
Not applicable	Not applicable	Not applicable	Not applicable

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	ΙΑΤΑ		
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable		
No supplementary information a	vailable				

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

ΙΑΤΑ

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:				
Calcium alkyl naphthalene sulfonate	CAS-No.	< 2%		
Trade Secret #1	CAS-No.	< 1%		

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Polyalphaolefin

Listed on the Canadian NDSL (Non-Domestic Substances List)

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hydrocarbon solvent

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Hydrocarbon solvent

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 10/01/2024

Full text of hazard classes and H-statements		
H226	Flammable liquid and vapor	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H361	Suspected of damaging fertility or the unborn child	
H373	May cause damage to organs through prolonged or repeated exposure	

NFPA health 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual hazard injury.
 NFPA fire hazard 1 - Materials that must be preheated before ignition can occur.
 NFPA reactivity 0 - Material that in themselves are normally stable, even under fire conditions.

Hazard Rating	
Health	2 Moderate Hazard - Temporary or minor injury may occur
Flammability	1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids
	having a flash point above 200 F. (Class IIIB)
Physical	0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water,
	polymerize, decompose, condense, or self-react. Non-Explosives.

0

RADCOLUBE[®] LTGO

MIL-PRF-14107D Lubricating Oil, Weapons, Low Temperature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular process or for any particular purpose. Such information stated is to the best of Radco's knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability, or completeness, purchasers, users and distributors are not relying on any promise, representation, or recommendation made by Radco, and Radco does not accept liability for any loss or damage that may occur from the use of this information. Final determination of suitability of any material is the sole responsibility of the user. All material should be used with caution to guard against unknown hazards. Although certain hazards are described herein, Radco does not guarantee that these are the only hazards that exist.